

μ μ -

: 17/07-09-2016 (: 75 46530 - 2), 26/ 04-10-2012 (: 4 81-70)

	μ.		1501-+	(17/07-09-2016)	
μ					
22.20.01	.01				
\22.04	.02	μ μ μ μ			
22.10.01	.03		μ , μ	15-02-01-01	
\20.30	.04	μ μ μ			
\ 01	.05	μ μ			
02.1	.06	μ μ μ			
02	.07	- μ	02-02-01-00 *		02-02-01-00
02	.08	μ μ	02-08-00-00		
01	.09	5,00 m μ	02-04-00-00		
20.10	.10	μ , μ	02-07-02-00		
01	.11	μ μ μ			
02.1	.12	μ	05-03-03-00 *	μ	05-03-03-00
32.01.03	.13	μ , μ μ , μ μ C12/15	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		

	μ.		1501- +	(17/07-09-2016)	
μ					
32.01.04	.14	μ μ μ μ μ C16/20	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
32.01.05	.15	μ μ μ μ μ C20/25	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
38.02	.16	μ	01-04-00-00		
38.20.03	.17	μ μ μ μ B500C	01-02-01-00 *	μ μ	01-02-01-00
38.45	.18	μ μ			
61.23	.19	anglaises) (cour			
\ 56	.20	μ			
\79.81.01	.21	μ			
\73.16	.22	μ			
\73.16.02	.23	μ 40x40cm			
\75.01.03	.24	μ μ μ μ μ 5 cm			
\75.01.01	.25	μ μ μ μ μ 3 cm			
\38.02	.26	μ μ			
\79.37	.27	μ μ	08-05-02-05		
\79.37	.28	μ μ μ	08-05-02-05		
12.10.05	.29	μ PVC-U μ PVC-U, SDR 41, DN 250 mm	08-06-02-02 *	-PVC	08-06-02-02

	μ.		1501- +	(17/07-09-2016)	
μ					
12.10.06	.30	μ 41, DN 315 mm	PVC-U μ PVC-U, SDR	08-06-02-02 *	-PVC 08-06-02-02
12.10.07	.31	μ 41, DN 355 mm	PVC-U μ PVC-U, SDR	08-06-02-02 *	-PVC 08-06-02-02
12.10.08	.32	μ 41, DN 400 mm	PVC-U μ PVC-U, SDR	08-06-02-02 *	-PVC 08-06-02-02
11.02.04	.33			08-07-01-04	
11.01.02	.34	K μμ iron)	μ (ductile		
51	.35		μ	05-02-01-00 *	- - 05-02-01-00
\52.13	.36				
\64.41	.37	μ			
29.3.1	.38		μ , μ C16/20	01-01-01-00 *	μ 01-01-01-00
				01-01-02-00	
				01-01-03-00 *	μ 01-01-03-00
				01-01-04-00 *	μ μ 01-01-04-00
				01-01-05-00	
				01-01-07-00	
				01-03-00-00 *	μ 01-03-00-00
				01-04-00-00	
				01-05-00-00	
50.01.01	.39				
\ 51	.40		μ μ μ		
\73.91	.41		μ		
85	.42		μ μ μ μ μ		
03	.43			05-03-11-01	
07	.44		(0,05m)	05-03-11-04 *	μ (μ μ 05-03-11-04
04	.45				

	μ.		1501-+	(17/07-09-2016)	
μ					
08.1	.46	m μ , μ μ 0,05	05-03-11-04 *	μ () μ μ	05-03-11-04
\61.29	.47	μ			
16.14.01	.48	μ μ 1917, μ 1,20 m			
12.12.01.02	.50	μ PVC-U μ μ μ , PVC-U 41 μ /μ μ μ 250/160 mm.	08-06-02-02 *	-PVC	08-06-02-02
12.12.01.03	.51	μ PVC-U μ μ μ , PVC-U 41 μ /μ μ μ 315/160 mm.	08-06-02-02 *	-PVC	08-06-02-02
12.12.01.04	.52	μ PVC-U μ μ μ , PVC-U 41 μ /μ μ μ 355/160 mm	08-06-02-02 *	-PVC	08-06-02-02
12.12.01.05	.53	μ PVC-U μ μ μ , PVC-U 41 μ /μ μ μ 400/160 mm.	08-06-02-02 *	-PVC	08-06-02-02
7.06	.54	μ μ μ			
\9302	.01				
\9307.7	.02	60 x 80 cm, 100 cm			
\9306	.03	μ , μ ,			
\9307.6.1	.04	40 x 40 cm, 40 cm			
9303	.05	μ μ			
\9312.3	.06	0,8μ X 0,8μX1,0μ			
\9325.2	.07	7 μ.			
\9315.1	.08	μ			
\9315.2	.09	110/90 μ			
\9316.6	.10	μ 2 1/2 ins μ			
9305	.11	μ 19 9 6 cm			
\9337.5.2.5	.12	Y 5 2,5 mm			

	μ.		1501- +	(17/07-09-2016)	
μ					
9336.1.1	.13	μ 3 1,5mm2			
\9342	.14	22 μ 1,50m			
9340.2	.15	μ μ 16mm2			
\9361.1.11	.16	μ 40 W LED			
\9353	.17	μ			
\9350.1	.18	μ () 1.10x0.30x1.20 m			
\9311.1	.19	1,20X0,4X0,50			
\9361.1.3	.20	LED μ 28 -40 W μ			
\9430.2	.21	μ μ			
\62.10.15.01	.22	- μ 8,00 m,			
10.1	.1.01	μ μ μ 45 - 150 lt	10-05-01-00		
02	.1.02	- μ	02-02-01-00 *		02-02-01-00
07	.1.03	μ μ	02-07-05-00		
07	.1.04	μ μ , μ	02-07-05-00		
10	.1.05	μ	10-05-02-01		
02	.1.06	μ	10-05-02-01		
01	.1.07	μ			
01.4	.1.08	, 4	10-09-01-00		
02.3	.1.09	μ , 3	10-09-01-00		
01.1	.1.10	μ 0,30 0,30 0,30 m μ ,	10-05-01-00		
01.2	.1.11	μ 0,50 0,50 0,50 m μ ,	10-05-01-00		
09.4	.1.12	μ μ μ 2,00 - 4,00 lt	10-05-01-00		
09.6	.1.13	μ μ μ 12,50 - 22,00 lt	10-05-01-00		
11.1.1	.1.14	μ μ 2,50 m μ	10-05-09-00		
03.1	.1.15	μ	10-06-03-00		
06.1	.1.16	μ μ	10-06-06-00		

*

	μ.		1501-+	(17/07-09-2016)	
μ					
08.1.1	.1.17	μ μ ,	10-06-07-00		
\ 05.2	.1.18				
02.3.5	.2.01	110 mm PVC 10 atm, μ μ	08-06-02-01		
01.2.4	.2.02	μ 40 mm 10 atm, μ	10-08-01-00		
01.1.1	.2.03	μ 16 mm () 6 atm, μ	10-08-01-00		
08.2.3.1	.2.04	μ μ 16 17 mm , 33 cm	10-08-01-00		
08.2.3.2	.2.05	μ μ 16 17 mm , 50 cm	10-08-01-00		
09.1.1.1	.2.06	, μ μ (μ μ), 10 atm, μ 1 in	10-08-01-00		
09.1.1.6	.2.07	, μ μ μ μ (μ μ), 10 atm, μ 1 in	10-08-01-00		
09.2.5.1	.2.08	μ μ μ / 4-6	10-08-01-00		
09.2.14.1	.2.09	μ μ μ 80 x 60 x 25 (cm), 1,2 mm			
09.2.13.3	.2.10	, 30 x 40 cm, 4 /			
9424.1	.2.11	40X40cm			
05.3.2	.2.12	LOCK 1/2 3/4 in			
μ					
1444		μ μ 600 kg			

	μ.		1501-+	(17/07-09-2016)	
μ					
1445		μ μ	450 kg		

22 / 2 / 2018

22 / 2 / 2018

22 / 2 / 2018