

&

: -

: 39/2017

μ μ -

: 17/07-09-2016 (: 75 46530 - 2), 26/ 04-10-2012 (: 4 81-70)

	μ.		1501- +	(17/07-09-2016)	
μ					
10.07.01	1	μ μ			
8445	2	μ μ μ			
20.04.01	3	E μ - μ μ	02-04-00-00		
20.20	4	μ μ			
20.30	5	μ μ μ			
20.40	6				
22.04	7	μ	14-02-02-01		
22.10.01	8	μ μ , μ	15-02-01-01		
22.15.01	9	μ μ μ μ μ ,	15-02-01-01		
\8665.3.1	10	μ			
22.20.01	11				
22.23	12	μ	14-02-01-01		
22.30.01	13				
\22.52.01	14				
22.56	15	μ	15-02-02-02		
\8477.3.6	16	μ 1 1/2' ins			
\ 23 1	17	μ , μμ			
10	18	μ	10-05-02-01		
\ 23	19	μ , μ μμ μ			
02.2	20	μ - μ 0,31 μ 0,60 m	10-07-01-00		
\ 85	21	μ μ μ μ			
31.02.01	22	μ μ 200 kg μ m3	01-01-01-00 *	μ	01-01-01-00
32.05.03	25	μ μ C12/15 μ			

*

	μ.		1501- +	(17/07-09-2016)	
μ					
32.05.04	26	μ μ C16/20			
38.02	27	μ	01-04-00-00		
\2921.2	29	μ μ			
45.01.02	30	μ μ ,			
61.31	31	μ			
78.05.01	32	, , 12,5 mm			
61.01	33	μ μ μ , μ 8 - 16 cm			
61.29	34	μ			
64.01.01	35	μ μ μ ,			
64.10.03	36	μ μ μ , 2"			
72.16	37	μ μ μ μ	03-05-01-00		
72.31.01	38	1,00 mm μ μ μ , ,	03-05-02-01		
72.65	39	μ μ μ μ sandwich μ	03-05-02-01		
72.70	40	μ			
\52.10.2	41				
\52.13	42	iroko μ			
53.01.01	43	μ , 8,0 cm	03-07-01-01		
62.21	44	μ μ	03-08-02-00		
62.60.05	45	μ μ μ , μ , μ 60 min μ ,			
62.61.05	46	μ μ μ , μ , μ 60 min μ ,			
65.05	47	μ	03-08-03-00 *	μ μ	03-08-03-00
\65.20.03	48	, μ μ			
76.20.01	49	1,00 m μ , 6,50 mm μ	03-08-07-01		
76.23.03	50	60 min) , G60 (03-08-07-03		

	μ.		1501- +	(17/07-09-2016)	
μ					
76.27.01	51	μ μ - μ - 8 mm, (5 mm) 18 mm, (5 mm,	03-08-07-02		
73.11	52	μ	03-07-03-00 *	μ	03-07-03-00
73.16.01	53	μ μ , 21 - 30 cm			
73.16.02	54	μ μ , 30 cm			
73.33.01	55	μ μ , GROUP 4, 20x20 cm	03-07-02-00		
73.34.01	56	μ μ GROUP 1, 20x20 cm	03-07-02-00		
73.37.01	57	μ - - μ μ μ μ 2,0 cm			
74.23	58	μ μ			
74.90.01	59	() μ μ , μ μ , 2 cm			
79.08	60	μ μ			
79.38	61	μ μ μ	08-05-02-05		
\53.41	62	μ , μ μ μ	03-07-01-01		
\73.97	63	μ	03-07-06-02		
\73.98	64	μ	03-07-06-01		
\76.22.01	65	μ			
\7896	66	μ μ			
71.21	67	μ - μ μ μ	03-03-01-00		
77.15	68	μ μ μ	03-10-02-00		
77.16	69	μ μ μ	03-10-05-00		
77.26.02	70	μ ,	03-10-05-00		
77.27.02	71	μ , μ	03-10-05-00		
77.54	72	μ μ μ μ	03-10-01-00		
77.55	73	μ μ μ μ	03-10-03-00		

	μ.		1501- +	(17/07-09-2016)	
μ					
77.80.01	74	μ μ μ μ μ μ μ	03-10-02-00		
77.80.02	75	μ μ μ μ μ μ μ	03-10-02-00		
77.84.02	76	μ μ μ μ μ μ μ	03-10-02-00		
77.99	77	μ μ μ μ			
154.80.18	78	μμ			
8042.1.7	79	4 atm μ 100 mm P.V.C.			
8061.1	80	()			
8062	81	μ μ			
8066.2.1	82	1,00 m . 40cm X 50cm 0,50			
1\2671	83	μμ			
18691.3.6	87	μ μ 13 mm μ 75mm (13x75mm)			
.8257.1.2	89	μ (μ) DIN 4803, " 200 lt",			
18036.2.2.7	90	20 mm 3,4 mm μ μ μ			
.9412	106	μ μ			
.9412.1	107	μ μ μ			
.9412.3	108	(μ μ μ)			
18972.1	111	μ μ			
18827.3.2	113	μ 16 SCHUKO			
.8732.1.3	117	10x12 mm μ μ μ μ μ			
26.	126	panel, μ μ μ			

	μ.		1501- +	(17/07-09-2016)	
μ					
8034.1	127	μ μ μ 1/2 ins			
8732.1.3	128	μμ 16mm			
62.10.40.01	131	H05VV-U, -R (NYM), μ. 300/500V μ μ PVC μ 3 x 1,5 mm2			
\52.96.1	133	μ μ			
\43	151	μ			
\8691.3.1	167	μ μ μ (13x25mm) 13 mm 25 mm μ			
\8691.3.4	168	μ μ μ 13 mm 50mm (13x50mm) μ			
\8691.3.5	169	μ μ μ 13 mm 63mm (13x63mm) μ			
65.02.01.11	248	μ , μ ,	03-08-03-00 *	μ μ	03-08-03-00
65.25	249	μ			
54.46.01	251	13 cm μ μ ,	03-08-01-00		
54.46.02	252	23 cm μ μ ,	03-08-01-00		
22.45	253	μ			
22.21.01	254				
22.50	255				
22.70.01	256	μ μ μ μ			
38.20.03	257	μ μ , μ μ B500C	01-02-01-00 *	μ μ	01-02-01-00
78.10.01	258	μ , 9 mm			
61.30	260				
79.40	261	μ μ 50 mm			
20.05.01	262	E μ - μ μ μ μ	02-04-00-00		
22.30.01	263	, μ , 0,05 m2			
22.30.02	264	, μ , 0,05 m2 0,12 m2			
22.31.01	265	0,10 m μ ,			

	μ.		1501- +	(17/07-09-2016)	
μ					
65.41	266	μ μ μ	03-08-03-00 *	μ μ	03-08-03-00
65.17.04	267	μ μ μ μ , , μ , μ	03-08-03-00 *	μ μ	03-08-03-00
65.02.02.01	268	μ , μ μ , μ , μ			
73.33.03	270	40x40 cm μ μ , GROUP 4,	03-07-02-00		
73.35	271	() μ			
73.33.02	272	30x30 cm μ μ , GROUP 4,	03-07-02-00		
73.26.03	273	15x15 cm, μ , μ ,	03-07-02-00		
56.21	274	μ DUROPAL			
56.23	275	μ μ μ	03-09-01-00		
56.11	276	0,20 m2	03-09-01-00		
56.07	277	μ 18 mm MDF	03-09-01-00		
77.18	278	μ μ	03-10-02-00		
\62.4.1.1	280	μ			
\9392.3.1	281				
.8464.3	282	μ μ			
\65.25	283	μ			
\22.30.01	284	μ , , μ 0,50 m2 μ , 1,00 m2.			
\22.30.02	285	μ , , μ 1,00 m2 μ , 1,50 m2.			
77.67.02	286	μ μ , μ 1 1/4 2"	03-10-03-00		
\8465.3.1	287	μ μ μ 250/300			
\9392.3	288	μ			
\8693.1.1.3	289				
\8647	290	- μ μ , μ			
\8432	291	μ μ			
8226	292	μ μ			
22.15.02.1	293	μ μ μ μ μ			

	μ.		1501- +	(17/07-09-2016)	
μ					
\9307.1	294	50X50	μ	10 cm μ	
\8036.2.2.1	295	25 mm	3,5 mm μ	μ	
\8036.2.2.2	296	32 mm	3,6 mm	μ	
\8036.2.2.3	297	40mm	4,5 mm	μ	
\8036.2.2.4	298	50mm	5,6 mm	μ	
\8036.2.2.5	299	63 mm	7,1 mm	μ	
\8036.2.2.6	300	75 mm	8,4 mm	μ	
\8693.1.8	301	μ	90 kw μ		
\8691.3.2	302	μ μ	13 mm	32mm (13x32mm) μ	
\8691.3.3	303	μ μ	13 mm	40mm (13x40mm) μ	
62.1	.12	μ			
62.2	.13	μ μ			
62.3	.14	μ			
62.4	.15		4		
62.7	.16				
62.10	.17				
\8447	.007	μ μ μ	μ.1/4 ins	μ ,	
\ 09.1.1.1	.145	10 atm,	μ μ	μ (μ), μ μ 1 in	
8751.1.2	.5.24			μ 1,5 mm2	
8801.1.1	.5.38	10 μ μ		10 250 V	
\8973.3.3.13	.5.60	μ μμ		LED 40 w	
μ					
1407					
1444		μ μ	600 kg		

	μ.		1501- +	(17/07-09-2016)	
μ					
1447		μ μ 400 kg			
1502		μ μ 250			
2121		μ μ μ			
3211		μ 200 kg μ , 0,7 2,5 3 cm			
3213		μ 160 300 kg μ , 0,7 2, 5 3 cm			
4623.2		μ μ (μ)			
7122		μ μ μ 600Kg			

22/6/2018

22/6/2018

22/6/2018

μ

&

/