

:

| A/A | | | | M | | μ | () | | |
|-----|------------------|----------|------|-----|-----|-----------|--------|-------------------|------------------|
| | | | | | | | () | | |
| [1] | [2] | [3] | [4] | [5] | [6] | [7] | [8] | [9] | [10] |
| | 1. | : | - | | | | | | |
| 1 | μ - μ | 20.02 | 2112 | .1 | m3 | 1.800,00 | 7,00 | 12.600,00 | |
| 2 | E μ μ μ | 20.05.01 | 2124 | .2 | m3 | 60,00 | 8,70 | 522,00 | |
| 3 | μ μ 2,00 | 20.06.01 | 2132 | .3 | m3 | 900,00 | 0,45 | 405,00 | |
| 4 | μ , μ | 20.10 | 2162 | .4 | m3 | 185,00 | 4,50 | 832,50 | |
| 5 | μ μ μ | 20.30 | 2171 | .5 | m3 | 1.860,00 | 0,90 | 1.674,00 | |
| 6 | μ μ , μ | \20.20 | 2162 | .6 | m3 | 310,00 | 21,20 | 6.572,00 | |
| 7 | μ μ , μ | \20.20 | 2162 | .7 | m3 | 145,00 | 19,20 | 2.784,00 | |
| 8 | 155, μ μ μ | \20.20 | 2162 | .8 | m3 | 48,00 | 23,20 | 1.113,60 | |
| 9 | - () - | .20.30 | 2171 | .9 | ton | 1.700,00 | 3,13 | 5.321,00 | |
| | : 1. | : | - | | | | | 31.824,10 | 31.824,10 |
| | 2. | : | | | | | | | |
| 1 | μ , μ μ μ C12/15 | 32.01.03 | 3213 | .1 | m3 | 45,00 | 84,00 | 3.780,00 | |
| 2 | μ , μ μ μ C16/20 | 32.01.04 | 3214 | .2 | m3 | 40,00 | 90,00 | 3.600,00 | |
| 3 | μ , μ μ μ C25/30 | 32.01.06 | 3215 | .3 | m3 | 650,00 | 101,00 | 65.650,00 | |
| 4 | | 38.01 | 3801 | .4 | m2 | 300,00 | 13,50 | 4.050,00 | |
| 5 | | 38.03 | 3816 | .5 | m2 | 2.890,00 | 15,70 | 45.373,00 | |
| 6 | μ μ | 38.13 | 3841 | .6 | m2 | 370,00 | 20,25 | 7.492,50 | |
| 7 | μ μ μ B500C. | 38.20.02 | 3873 | .7 | kg | 62.000,00 | 1,07 | 66.340,00 | |
| | | | | | | | | | |
| | | | | | | μ | | 196.285,50 | 31.824,10 |

| A/A | | | | M | | μ | () | | |
|-----------|--|----------|--------|-----|-----|----------|-------------|---------------------|---------------------|
| | | | | | | | [9] | [10] | |
| [1] | [2] | [3] | [4] | [5] | [6] | [7] | [8] | [9] | [10] |
| | | | | | | | μ | 196.285,50 | 31.824,10 |
| 8 | μ μ μ μ B500C | 38.20.03 | 3873 | .8 | kg | 4.000,00 | 1,01 | 4.040,00 | |
| 9 | μ | 38.02 | 3811 | .9 | m2 | 135,00 | 22,50 | 3.037,50 | |
| 10 | μ μ μ | 79.03 | 7902 | .10 | m2 | 520,00 | 2,00 | 1.040,00 | |
| 11 | μ μ | 38.45 | 3873 | .11 | m2 | 7.000,00 | 2,20 | 15.400,00 | |
| 12 | μ μ | 38.18 | 3816 | .12 | m | 490,00 | 2,80 | 1.372,00 | |
| 13 | μ μ | 79.21 | 7921 | .13 | kg | 1.350,00 | 1,00 | 1.350,00 | |
| 14 | μ | 51 | 2921 | .14 | m | 30,00 | 9,60 | 288,00 | |
| 15 | μ μ | √2921.2 | .2921 | .15 | m | 38,00 | 8,96 | 340,48 | |
| 16 | μ μ μ 200 kg μ m3 | 31.02.01 | 3207 | .16 | m3 | 90,00 | 73,00 | 6.570,00 | |
| | | | | | | | : 2. | : 229.723,48 | : 229.723,48 |
| 3. | | | | | | | : | - | |
| 1 | μ μ μ μ μ 6x9x19 cm, 1 (μ) (μ) | 46.01.03 | 4623.1 | .1 | m2 | 360,00 | 33,50 | 12.060,00 | |
| 2 | μ () μ μ μ | 49.01.02 | 3213 | .2 | m | 325,00 | 19,70 | 6.402,50 | |
| 3 | μ μ μ μ μ 6x9x19 cm, 1/2 (μ) | 46.01.02 | 4622.1 | .3 | m2 | 680,00 | 19,50 | 13.260,00 | |
| 4 | μ () μ μ μ | 49.01.01 | 3213 | .4 | m | 490,00 | 16,80 | 8.232,00 | |
| 5 | μ μ μ - μ | 71.21 | 7121 | .5 | m2 | 3.300,00 | 13,50 | 44.550,00 | |
| 6 | μ μ | 61.13 | 6116 | .6 | m | 295,00 | 2,60 | 767,00 | |
| 7 | μ μ μ | 49.05 | 6630.1 | .7 | m2 | 1.030,00 | 2,60 | 2.678,00 | |
| 8 | μ μ | √71.71 | 7171 | .8 | m2 | 330,00 | 1,20 | 396,00 | |
| 9 | μ μ μ μ μ | √79.47 | 7934 | .9 | m2 | 720,00 | 40,00 | 28.800,00 | |
| | | | | | | | : 3. | : 117.145,50 | : 117.145,50 |
| | | | | | | | μ | | 378.693,08 |

| A/A | | | | | M | | μ | () | |
|-----|---|-----------|------|------|-----|-------|----------|-----------------|-------------------|
| [1] | [2] | [3] | [4] | [5] | [6] | [7] | [8] | [9] | [10] |
| | | | | | | | μ | | 378.693,08 |
| | 4. : / () | | | | | | | | |
| | 4.1. | | | | | | | | |
| | 4.1.1. | | | | | | | | |
| 1 | μ μ & μ , | 6754. .1 | 6754 | .1 | μ. | 1,00 | 292,68 | 292,68 | |
| 2 | μ | 6065 | 6065 | .248 | m3 | 2,00 | 4,81 | 9,62 | |
| 3 | μμ μ μ | 6069 | 6069 | .249 | m3 | 0,50 | 35,61 | 17,81 | |
| 4 | () μ μ μ 3/4 ins | 8125.1.2 | 11 | .4 | | 1,00 | 20,32 | 20,32 | |
| 5 | μ , μ μ 0,50 m2 | \2267 | 2267 | .250 | μ. | 7,00 | 60,00 | 420,00 | |
| 6 | cm , 30x40 0,50 m | 8066.1.4. | 10 | .6 | μ. | 4,00 | 118,76 | 475,04 | |
| 7 | μμ μ 124, 125 | \ 49. | 6752 | .222 | kg | 70,00 | 2,90 | 203,00 | |
| 8 | μ μ μ () PPR, 20 bar, μ 75mm, 10 | 8603.4. | 4 | .8 | | 2,00 | 253,92 | 507,84 | |
| 9 | μ μ μ 3 200 Lt, μ 4 m², 6 bar/150°C, μ μ μ 24 l/10 bar/100°C, μ μ μ 1 1/4", | 8257.1.4. | 3/4 | .9 | μ. | 1,00 | 5.275,18 | 5.275,18 | |
| 10 | μ 20 mm 3,4 mm μ μ | .8036.6 | 8 | .10 | m | 90,00 | 8,81 | 792,90 | |
| 11 | μ 25 mm 3,5 mm μ μ | \8036.1.1 | 8 | .11 | μ. | 65,00 | 9,64 | 626,60 | |
| 12 | μ 32 mm 4,5 mm μ μ | \8036.2.2 | 8 | .12 | μ. | 5,00 | 12,11 | 60,55 | |
| | | | | | | | μ | 8.701,54 | 378.693,08 |

| A/A | | | | | M | | μ | () | |
|-----|--|------------|-----|------|-----|--------|-------|------------------|-------------------|
| | | | | | | | | | |
| [1] | [2] | [3] | [4] | [5] | [6] | [7] | [8] | [9] | [10] |
| | | | | | | | μ | 8.701,54 | 378.693,08 |
| 13 | B () μ , μ , μ , μ μ , μ. μ DN 20 | \8131.3.1 | 11 | .13 | μ. | 5,00 | 23,29 | 116,45 | |
| 14 | B () μ , μ , μ , μ μ , μ. μ DN 25 | \8131.3.2 | 11 | .14 | μ. | 1,00 | 26,79 | 26,79 | |
| 15 | μ μ , 9 mm, μ 20-22 mm | 8691. .1 | 40 | .15 | m | 35,00 | 7,74 | 270,90 | |
| 16 | μ μ , 11 mm. μ 25 mm | 8691. .2 | 40 | .16 | m | 30,00 | 8,14 | 244,20 | |
| 17 | μ μ , 11 mm, μ 32 mm | 8691. .3 | 40 | .17 | m | 27,00 | 10,19 | 275,13 | |
| 18 | μ μ , 11 mm, μ 40 mm | 8691. .4 | 40 | .18 | m | 15,00 | 10,79 | 161,85 | |
| 19 | μ μ , 13 mm, μ 50 mm | 8691. .5 | 40 | .19 | m | 10,00 | 13,43 | 134,30 | |
| 20 | μ μ , 13 mm, μ 63 mm | 8691. .6 | 40 | .20 | m | 10,00 | 15,13 | 151,30 | |
| 21 | μ μ , 19 mm, μ 20-22 mm | 8691. .1.1 | 40 | .21 | m | 40,00 | 8,58 | 343,20 | |
| 22 | μ μ , μ μ , μ , μ | \8151. 1 | 52 | .136 | μ. | 4,00 | 66,52 | 266,08 | |
| 23 | μ μ , μ μ , μ , μ μ μ | 8603. | 4 | .137 | | 37,00 | 20,99 | 776,63 | |
| 24 | μ μ 16x2 mm, μ | \8151.16.2 | 8 | .24 | m | 22,00 | 4,10 | 90,20 | |
| 25 | μ μ 18x2 mm, μ | \8151.1.1 | | .25 | m | 520,00 | 4,25 | 2.210,00 | |
| 26 | μ 22x3 mm | 8151.1.7 | | .26 | m | 170,00 | 5,00 | 850,00 | |
| 27 | VALVE μ LL- 1/2 in | .8104.1 | 11 | .283 | | 4,00 | 11,17 | 44,68 | |
| 28 | VALVE μ LL- 3/4 in | .8104.2 | 11 | .284 | | 5,00 | 16,33 | 81,65 | |
| 29 | VALVE μ LL- 1 in | .8104.3 | 11 | .285 | | 8,00 | 24,25 | 194,00 | |
| 30 | () μ μ μ μ 1/2 ins | 8131.2.1 | 11 | .30 | | 40,00 | 18,14 | 725,60 | |
| | | | | | | | μ | 15.664,50 | 378.693,08 |

| A/A | | | | | M | | μ | () | |
|-----|--|-----------|------|------|-----|-------|--------|------------------|-------------------|
| [1] | [2] | [3] | [4] | [5] | [6] | [7] | [8] | [9] | [10] |
| | | | | | | | μ | 15.664,50 | 378.693,08 |
| 31 | " () μ μ , μ 1/2x3/4 ins | \8131.2.2 | 11 | .31 | | 3,00 | 16,08 | 48,24 | |
| 32 | () μ μ μ 1/2 ins | 8138.2.2 | 11 | .32 | | 9,00 | 13,80 | 124,20 | |
| 33 | μ (μ) μ - , μ , μ μ μ μ 1/2 ins | \8141.2.1 | 13 | .33 | μ. | 11,00 | 61,04 | 671,44 | |
| 34 | μ (μ) μ - , μ μ μ μ 1/2 ins | 8141.3.2 | 13 | .34 | | 3,00 | 70,31 | 210,93 | |
| 35 | μ (μ) μ - , μ μ , ins μ 1/2 | \8141.4.2 | 13 | .35 | | 4,00 | 75,07 | 300,28 | |
| 36 | μ | 8665.3 | 6401 | .253 | kg | 25,00 | 5,00 | 125,00 | |
| | : 4.1.1. | | | | | | | 17.144,59 | 17.144,59 |
| | 4.1.2. | | | | | | | | |
| 1 | μ | 6065 | 6065 | .248 | m3 | 22,00 | 4,81 | 105,82 | |
| 2 | μ μ μ μ μ μ | 6069 | 6069 | .249 | m3 | 2,00 | 35,61 | 71,22 | |
| 3 | μ , μ μ μ 0,50 m2 | \2267 | 2267 | .250 | μ. | 5,00 | 60,00 | 300,00 | |
| 4 | m . 20cm X 20cm 0,50 | 8066.1.2 | 10 | .40 | | 8,00 | 85,10 | 680,80 | |
| 5 | 30x40 cm m , 0,5 | \8066.1.2 | 10 | .41 | | 2,00 | 123,01 | 246,02 | |
| 6 | 40x50 cm m, μ μ 0,5 | \8066.1.3 | 10 | .42 | | 6,00 | 148,55 | 891,30 | |
| 7 | m . 50cm X 60cm 0,50 | 8066.1.6 | 10 | .43 | | 3,00 | 173,05 | 519,15 | |
| 8 | μ , 90 cm x 100 cm 0,50 1,00 m | 8066.2.6. | 10 | .44 | μ. | 1,00 | 506,16 | 506,16 | |
| | | | | | | | | | |
| | | | | | | | μ | 3.320,47 | 395.837,67 |

| A/A | [2] | [3] | [4] | [5] | M | [7] | μ () | () | |
|-----|--|-------------|------|------|-----|--------|----------|------------------|-------------------|
| | | | | | | | | [9] | [10] |
| [1] | [2] | [3] | [4] | [5] | [6] | [7] | [8] | [9] | [10] |
| | | | | | | | μ | 3.320,47 | 395.837,67 |
| 9 | μ μ 60x60 cm 0,50 1,00 m, μ μ μ μ μ | .9307.3 | 5 | .45 | μ. | 1,00 | 265,00 | 265,00 | |
| 10 | μ μ 0,60x0,80x1,00 m, μ μ | 8066.2.4. | 10 | .46 | μ. | 1,00 | 385,00 | 385,00 | |
| 11 | μ μ 124, 125 | \ 49. | 6752 | .222 | kg | 285,00 | 2,90 | 826,50 | |
| 12 | μ μ μ HDPE | \ .11.02.03 | 6752 | .48 | m | 50,00 | 34,00 | 1.700,00 | |
| 13 | μ μ 5 m ³ /h | .8217.6.1 | 21 | .49 | | 1,00 | 86,71 | 86,71 | |
| 14 | μ μ 4 m ³ /h 6 m | 8217.4. | 21 | .50 | μ. | 1,00 | 1.283,80 | 1.283,80 | |
| 15 | μ μ 8 m ³ /h 6 m | 8217.4. 1 | 21 | .51 | μ. | 1,00 | 1.905,36 | 1.905,36 | |
| 16 | () μ μ ins μ μ 1 1/2 | 8125.1.5 | 11 | .52 | | 2,00 | 41,64 | 83,28 | |
| 17 | μ μ μ μ μ μ μ "U" | 8160.1. | 17 | .53 | μ. | 8,00 | 129,12 | 1.032,96 | |
| 18 | 40x50 cm μ 1 1/4" μ μ "S", μ | .8160.1 | 17 | .54 | μ. | 3,00 | 158,49 | 475,47 | |
| 19 | μ μ | 8151.2 | 14 | .55 | | 3,00 | 192,13 | 576,39 | |
| | | | | | | | μ | 11.940,94 | 395.837,67 |

| A/A | | | | | M | | μ | () | |
|-----|--|----------------|-----|-----|-----|-------|----------|-----------|------------|
| [1] | [2] | [3] | [4] | [5] | [6] | [7] | [8] | [9] | [10] |
| | | | | | | | μ | 11.940,94 | 395.837,67 |
| 20 | 35 cm, μ | \8181.2 | 14 | .56 | μ. | 5,00 | 105,42 | 527,10 | |
| 21 | μ μ μ | 8179.2 | 18 | .57 | | 3,00 | 22,97 | 68,91 | |
| 22 | μ μ μ μ | 8179.2. | 18 | .58 | μ. | 8,00 | 13,07 | 104,56 | |
| 23 | μ 70 cm | 8162.3.1 | 16 | .59 | | 4,00 | 149,53 | 598,12 | |
| 24 | () | 8188. | 17 | .60 | μ. | 1,00 | 191,92 | 191,92 | |
| 25 | 50 cm, 35x40x20 cm, μ 1,80 m | 8165.2.3. | 17 | .61 | μ. | 2,00 | 175,78 | 351,56 | |
| 26 | 100 | \8046.1 | 8 | .62 | μ. | 3,00 | 20,54 | 61,62 | |
| 27 | 4 mm μ 60 cm | 8168.2 | 13 | .63 | | 11,00 | 21,21 | 233,31 | |
| 28 | μ 0,60 cm | 8169.1.2 | 13 | .64 | | 11,00 | 21,05 | 231,55 | |
| 29 | μ μ | 8174 | 13 | .65 | | 6,00 | 14,06 | 84,36 | |
| 30 | () μ μ , , | \8175.2 | 13 | .66 | | 4,00 | 13,96 | 55,84 | |
| 31 | WC (), μ 304, AISI | 8178.1.2. 1 | 17 | .67 | μ. | 6,00 | 43,90 | 263,40 | |
| 32 | μ μ μ | 8178.1.2 | 14 | .68 | | 8,00 | 16,80 | 134,40 | |
| 33 | WC, AISI 304, 25mm x 35 cm () 10 | 8178.1.2. | 17 | .69 | μ. | 6,00 | 81,28 | 487,68 | |
| 34 | μ W.C./ μ | 8305. 1 | 14 | .70 | μ. | 1,00 | 2.393,73 | 2.393,73 | |
| 35 | μ W.C. μ | 8305. 2 | 14 | .71 | μ. | 1,00 | 1.329,23 | 1.329,23 | |
| 36 | μ μ μ | 8046.1. | 8 | .72 | μ. | 14,00 | 30,54 | 427,56 | |
| 37 | P.V.C., μ 6 atm, 40 mm | .8042.1.2 | 8 | .73 | μ. | 16,00 | 12,47 | 199,52 | |
| | | | | | | | μ | 19.685,31 | 395.837,67 |

| A/A | | | | | M | | μ | () | |
|-----|--|------------|----------------------|-----|------|-------|----------|------------------|-------------------|
| [1] | [2] | [3] | [4] | [5] | [6] | [7] | [8] | [9] | [10] |
| | | | | | | | μ | 19.685,31 | 395.837,67 |
| 38 | P.V.C., 6 atm, 50 mm μ | .8042.1.3 | 8 | .74 | μ. | 59,00 | 12,69 | 748,71 | |
| 39 | P.V.C. 6 atm, 63 mm μ | \8042.1.3 | 8 | .75 | m | 3,00 | 12,93 | 38,79 | |
| 40 | P.V.C. 6 atm, 75 mm μ | \8042.1.4 | 8 | .76 | m | 51,00 | 13,51 | 689,01 | |
| 41 | P.V.C. 6 atm, 100 mm μ | \8042.1.5 | 8 | .77 | m | 65,00 | 14,40 | 936,00 | |
| 42 | P.V.C. 6 atm 125 mm μ | \8042.13 | 8 | .78 | m | 20,00 | 16,90 | 338,00 | |
| 43 | P.V.C. 6 atm 160 mm μ | \8042.14 | 8 | .79 | m | 4,00 | 17,68 | 70,72 | |
| 44 | μ PVC 41 μ μ μ 160 μ | 6711.1 | 6711.1 | .80 | | 3,00 | 24,74 | 74,22 | |
| 45 | μ () μ 75 mm , μ | .8054.6 | 11 | .81 | | 2,00 | 1,90 | 3,80 | |
| 46 | μ () μ 100 mm , μ | .8054.8 | 11 | .82 | | 10,00 | 2,17 | 21,70 | |
| 47 | μ () μ 125 mm , μ | .8054.9 | 11 | .83 | | 4,00 | 2,50 | 10,00 | |
| 48 | PVC, (), μ μ 10 cm | \8130.1 | 8 | .84 | μ. | 7,00 | 9,90 | 69,30 | |
| 49 | μ / μ μ | \9.31.02.1 | 50% 6327 50% 6311 | .85 | μ. | 1,00 | 1.050,00 | 1.050,00 | |
| 50 | μ PVC " 41" μ μ () μ 160 mm , μ | \8054.10 | 11 | .86 | μ. | 2,00 | 30,64 | 61,28 | |
| 51 | P.V.C., μ 160 | \8045.1 | 8 | .87 | μ. | 1,00 | 52,61 | 52,61 | |
| 52 | μ , μ μ | \16.01.1 | 6744 | .88 | μ. | 1,00 | 103,00 | 103,00 | |
| 53 | () | 8061.1 | 1 | .89 | m2 | 20,00 | 39,77 | 795,40 | |
| 54 | μ μ 160 mm | \8062.1. | 1 | .90 | μ.μ. | 48,00 | 26,76 | 1.284,48 | |
| | | | | | | | μ | 26.032,33 | 395.837,67 |

| A/A | | | | | M | | μ | () | |
|-----|------------------------------------|-------------|-------|------|-----|--------|-----------|------------------|-------------------|
| [1] | [2] | [3] | [4] | [5] | [6] | [7] | [8] | [9] | [10] |
| | | | | | | | μ | 26.032,33 | 395.837,67 |
| 55 | μ μ , | 8046.1. | 8 | .91 | μ. | 6,00 | 49,81 | 298,86 | |
| 56 | 20 30 cm μ | \8061.2 | 1 | .92 | | 8,00 | 134,55 | 1.076,40 | |
| | : 4.1.2. | | | | | | | 27.407,59 | 27.407,59 |
| | : 4.1. | | | | | | | | 44.552,18 |
| | 4.2. | | | | | | | | |
| 1 | μ μ , μ , m2 0,05 | \22.30.01 | 2261A | .251 | | 65,00 | 5,60 | 364,00 | |
| 2 | μ μ , μ , 0,05 m2 0,12 m2 | \22.30.02 | 2261B | .94 | | 10,00 | 9,00 | 90,00 | |
| 3 | μ μ 0,15 m | \22.40.01 | 2271 | .95 | | 6,00 | 22,50 | 135,00 | |
| 4 | μ μ VRF, μ , μ - 10 | \8557.2.1. | 33 | .96 | | 1,00 | 28.650,00 | 28.650,00 | |
| 5 | μ μ VRF, μ , μ - 14 | \8557.2.1. | 33 | .97 | | 1,00 | 30.800,00 | 30.800,00 | |
| 6 | (VAM) m3/h, 1000 | .8470.2.5 | 28 | .98 | μ. | 5,00 | 2.200,00 | 11.000,00 | |
| 7 | μ μ | \8537.1 | 34 | .99 | kg | 775,00 | 5,47 | 4.239,25 | |
| 8 | μ μ μ | 8557.2 | 11 | .100 | m2 | 73,00 | 7,50 | 547,50 | |
| 9 | μ μ μ , μ μ μ , 100 mm 500 x | \8541.1.8.2 | 36 | .101 | μ. | 28,00 | 87,74 | 2.456,72 | |
| 10 | μ μ μ μ , μ μ μ , 125 mm | 8537.4.6. | 35 | .102 | m | 1,00 | 15,04 | 15,04 | |
| 11 | μ μ μ μ , μ μ μ , 150 mm | 8537.4.8. | 35 | .103 | m | 42,00 | 15,31 | 643,02 | |
| 12 | μ μ μ μ , μ μ μ , 200 mm | 8537.4.11. | 35 | .104 | m | 1,00 | 19,62 | 19,62 | |
| | | | | | | | μ | 78.960,15 | 423.245,26 |

| A/A | [1] | [2] | [3] | [4] | [5] | M | [7] | μ () | () | |
|-----|-----|---|-----------|--------|------|----|--------|------------------|-------------------|-------------------|
| | | | | | | | | | [9] | [10] |
| | | | | | | | | μ | 24.361,59 | 503.757,28 |
| 11 | | (BALL -VALVE), 331 , μ 16 bar, μ 1/2 ins | \8101.1 | 11 | .119 | μ. | 2,00 | 16,53 | 33,06 | |
| 12 | | (BALL -VALVE), 331 , μ 16 bar, μ 1 1/2 ins | \8101.5 | 11 | .120 | μ. | 2,00 | 56,31 | 112,62 | |
| 13 | | μ μ μ 1/2 ins | 8034.1 | 4 | .121 | m | 2,00 | 13,61 | 27,22 | |
| 14 | | μ μ μ 3/4 ins | 8034.2 | 4 | .122 | m | 5,00 | 15,96 | 79,80 | |
| 15 | | μ μ 1 ins | 8034.3 | 4 | .123 | m | 1,00 | 19,63 | 19,63 | |
| 16 | | μ μ μ 1 1/4 ins | 8034.4 | 4 | .124 | m | 1,00 | 22,63 | 22,63 | |
| 17 | | μ μ μ 1 1/2 ins | 8034.5 | 4 | .125 | m | 61,00 | 25,71 | 1.568,31 | |
| 18 | | μ μ 2 ins | 8608.1.7 | 12 | .126 | | 1,00 | 49,96 | 49,96 | |
| 19 | | μ μ μ μ μ μ 3/8 ins 5 atm | 8606.1.2 | 11 | .266 | | 4,00 | 35,44 | 141,76 | |
| 20 | | VALVE μ LL- 3/4 in | .8104.2 | 11 | .284 | | 2,00 | 16,33 | 32,66 | |
| 21 | | VALVE μ LL- 1/2 in | .8104.1 | 11 | .283 | | 4,00 | 11,17 | 44,68 | |
| 22 | | VALVE μ LL- 1 1/2 in | .8104.5 | 11 | .287 | | 2,00 | 38,45 | 76,90 | |
| 23 | | μ μ μ μ μ μ 13 mm, 40 mm (13x40mm) | \8691.3.3 | 40 | .131 | m | 25,00 | 10,79 | 269,75 | |
| 24 | | μ μ μ μ μ μ 13 mm, 50 mm (13x50mm) | \8691.3.4 | 40 | .132 | m | 12,00 | 13,45 | 161,40 | |
| 25 | | μ μ μ μ μ μ 1" | 77.67.01 | 7767.2 | .292 | | 20,00 | 1,20 | 24,00 | |
| 26 | | μ μ μ μ μ μ 1 1/4 2" | 77.67.02 | 7767.4 | .293 | | 110,00 | 2,00 | 220,00 | |
| 27 | | μ μ μ μ. μ 1 ins μ 2 ins | 8691.2 | 40 | .135 | m | 85,00 | 21,23 | 1.804,55 | |
| 28 | | μ μ μ μ μ μ μ μ μ | \8151. 1 | 52 | .136 | μ. | 2,00 | 66,52 | 133,04 | |
| | | | | | | | | | | |
| | | | | | | | μ | 29.183,56 | 503.757,28 | |

| A/A | [1] | [2] | [3] | [4] | [5] | [6] | [7] | [8] | [9] [10] | |
|-----|-----|--|--------------|------|------|-----|--------|--------|------------------|-------------------|
| | | | | | | | | | μ | |
| | | | | | | | | | 1.944,70 | 548.797,06 |
| 7 | | μ | 9301.1 | | .153 | m3 | 3,00 | 38,28 | 114,84 | |
| 8 | | μμ 124, 125 | \ 49. | 6752 | .222 | kg | 145,00 | 2,90 | 420,50 | |
| 9 | | μ 3,00 μ., μ | \60.10.01.01 | | .155 | μ. | 10,00 | 230,00 | 2.300,00 | |
| 10 | | 0,60x0,60x0,80 m | .9312.1 | | .156 | m3 | 3,00 | 55,98 | 167,94 | |
| 11 | | μ 63 mm (μ) conflex | \9315.1.3 | | .157 | m | 25,00 | 5,67 | 141,75 | |
| 12 | | μ (LED), 30-35 W | 60.10.40.02 | | .158 | μ. | 10,00 | 560,00 | 5.600,00 | |
| 13 | | (PE), μ μ μ μ μ μ μ μ μ (DN) μ μ [DN/OD], > =450 μ EN 61386. mm DN/OD 90 | \12.36.01.05 | | .159 | m | 110,00 | 7,43 | 817,30 | |
| 14 | | μ DN 63 mm (μ 2½") 3,6mm | 60.20.40.02 | | .160 | m | 100,00 | 16,00 | 1.600,00 | |
| 15 | | μμ 36mm | 8734.1.5 | 42 | .161 | m | 20,00 | 16,75 | 335,00 | |
| 16 | | 100 mm | 65.80.40.01 | | .162 | | 15,00 | 12,50 | 187,50 | |
| 17 | | 150 mm | \65.80.40.01 | | .163 | | 85,00 | 15,00 | 1.275,00 | |
| 18 | | 200 mm | 65.80.40.02 | | .164 | | 42,00 | 17,50 | 735,00 | |
| 19 | | 300 mm | 65.80.40.03 | | .165 | | 8,00 | 23,00 | 184,00 | |
| 20 | | μ μ 6mm2 | 8757.1.3 | | .166 | m | 155,00 | 2,18 | 337,90 | |
| 21 | | μ μ 25mm2 | 8757.2.3 | | .167 | m | 150,00 | 4,82 | 723,00 | |
| 22 | | H05VV-U, -R (NYM), μ. 300/500V μ μ PVC μ 3 x 1,5 mm2 | 62.10.40.01 | | .168 | m | 1,00 | 2,30 | 2,30 | |
| 23 | | H05VV-U, -R (NYM), μ. 300/500V μ μ PVC μ 3 x 2,5 mm2 | 62.10.40.02 | | .169 | m | 1,00 | 4,10 | 4,10 | |
| | | | | | | | | | 16.890,83 | 548.797,06 |

| A/A | [1] | [2] | [3] | [4] | [5] | M | [7] | μ () | () | |
|-----|-----|--|--------------|-----|------|----|--------|----------|------------------|-------------------|
| | | | | | | | | | [9] | [10] |
| | | | | | | | | μ | 16.890,83 | 548.797,06 |
| 24 | | E1VV-U, -R, - S (), μ. 600/1000 V μ μ μ PVC μ 4 x 1,5 mm2 | 62.10.41.03 | 102 | .170 | m | 1,00 | 3,50 | 3,50 | |
| 25 | | H05VV-U/R (), μ 300/ 500 V μ μ μ PVC, μ 5x10 mm2 | \8766.5.5 | 46 | .171 | m | 105,00 | 13,48 | 1.415,40 | |
| 26 | | μ 5 4mm2 | 8766.5.3 | 46 | .172 | m | 1,00 | 9,21 | 9,21 | |
| 27 | | μ 3 4mm2 | 8766.3.3 | 46 | .173 | m | 20,00 | 6,74 | 134,80 | |
| 28 | | E1VV-U, -R, - S (), μ. 600/1000 V μ μ μ PVC μ 3 x 2,5 mm2 | 62.10.41.02 | 102 | .174 | m | 1,00 | 4,60 | 4,60 | |
| 29 | | NY Y μ μ 5 2,5 mm2 | 8773.6.2 | 47 | .175 | m | 155,00 | 4,58 | 709,90 | |
| 30 | | NY Y μ μ μ μ μ 3 25 + 16 mm2 | 8773.4.1 | 47 | .176 | m | 12,00 | 16,16 | 193,92 | |
| 31 | | μ 5 6mm2 | 8766.5.4 | 46 | .177 | m | 30,00 | 11,20 | 336,00 | |
| 32 | | μ μ , μ μ | \8894.1. 1 | | .178 | | 1,00 | 187,13 | 187,13 | |
| 33 | | NY Y μ μ 1 16 mm2 | 8774.1.6 | 47 | .179 | m | 12,00 | 7,26 | 87,12 | |
| 34 | | μ , μ | \8840.4.5 | | .180 | μ. | 1,00 | 2.219,75 | 2.219,75 | |
| 35 | | H05VV-U/R (), μ 300/ 500 V μ μ μ PVC, μ 5x16 mm2 | \8076.5.6 | 46 | .181 | m | 32,00 | 21,17 | 677,44 | |
| 36 | | μ 250 V 10 10 μ | 8801.1.1 | 49 | .182 | | 1,00 | 4,06 | 4,06 | |
| 37 | | μ μ μ - μ | \8840.1.2. 1 | | .183 | μ. | 1,00 | 530,00 | 530,00 | |
| 38 | | μ μ μ - μ | \8840.1.1. 1 | | .184 | μ. | 1,00 | 210,00 | 210,00 | |
| | | | | | | | | μ | 23.613,66 | 548.797,06 |

| A/A | [1] | [2] | [3] | [4] | [5] | M | [7] | μ [8] | () | |
|-----|-----|----------------------|---------------|-----|------|----|-------|----------|------------------|-------------------|
| | | | | | | | | | [9] | [10] |
| | | | | | | | | μ | 23.613,66 | 548.797,06 |
| 39 | | μ 250 V 10 | 8801.1.4 | 49 | .185 | | 1,00 | 5,84 | 5,84 | |
| 40 | | μ 10 250 V | \8812. 2 | 49 | .186 | μ. | 1,00 | 18,31 | 18,31 | |
| 41 | | μ μ - | \8840.1.1. 2 | | .187 | μ. | 1,00 | 230,00 | 230,00 | |
| 42 | | μ μ - | \8840.1.2. 3 | | .188 | μ. | 1,00 | 725,00 | 725,00 | |
| 43 | | μ μ - | \8840.4.1. 4 | | .189 | μ. | 1,00 | 285,00 | 285,00 | |
| 44 | | μ | \8177. | 39 | .190 | | 1,00 | 168,79 | 168,79 | |
| 45 | | μ μ μ | \8840.4.1. 2 | | .191 | μ. | 1,00 | 230,00 | 230,00 | |
| 46 | | μ SCHUKO 16 | 8826.3.2 | 49 | .192 | | 1,00 | 9,04 | 9,04 | |
| 47 | | μ SCHUKO, 16 | \8827.3.2 | 49 | .193 | μ. | 1,00 | 12,34 | 12,34 | |
| 48 | | μ μ - | \8840.4.1. 5 | | .194 | μ. | 1,00 | 190,00 | 190,00 | |
| 49 | | μ μ - | \8840.1.2. 2 | | .195 | μ. | 1,00 | 650,00 | 650,00 | |
| 50 | | μ μ - /- μ μ | \8826.3.2. 1 | | .196 | μ. | 67,00 | 148,22 | 9.930,74 | |
| 51 | | μ μ μ μ μ | \8995.7.8.1 3 | | .197 | μ. | 6,00 | 95,00 | 570,00 | |
| 52 | | μ 380/220V, 32 | \8827.4.3 | 49 | .198 | μ. | 1,00 | 22,64 | 22,64 | |
| | | | | | | | | μ | 36.661,36 | 548.797,06 |

| A/A | | | | M | | μ | () | | |
|-----|--|---------------|-----|------|-----|-------|--------|-----------|------------|
| | | | | | | | | | |
| [1] | [2] | [3] | [4] | [5] | [6] | [7] | [8] | [9] | [10] |
| | | | | | | | μ | 36.661,36 | 548.797,06 |
| 53 | μ μ μ , μ μ | \8995.7.8.1 2 | | .199 | μ. | 28,00 | 167,07 | 4.677,96 | |
| 54 | μ μ μ μ Led, 28 W μ | \8974.3.1. 2 | 59 | .200 | μ. | 24,00 | 328,02 | 7.872,48 | |
| 55 | μ , , μ 250 V 10 , | \8812. 1 | 49 | .201 | μ. | 1,00 | 13,51 | 13,51 | |
| 56 | μ μ μ 17 mm 250μm, μ 1,50 m | \9342. 1 | 45 | .219 | μ. | 3,00 | 43,36 | 130,08 | |
| 57 | μ μ μ Up-Down, μ 2 μ led spot 3 W | \8972.1.2 | 59 | .203 | | 6,00 | 62,30 | 373,80 | |
| 58 | (μ) μ Led 29 W μ , μ | \8974.1.3. 1 | 59 | .204 | μ. | 13,00 | 277,02 | 3.601,26 | |
| 59 | μ μ μ μ Led, 19 W μ | \8974.3.1. 1 | 59 | .205 | μ. | 18,00 | 312,72 | 5.628,96 | |
| 60 | μ μ μ μ Led, 40 W μ | \8974.3.1. 3 | 59 | .206 | μ. | 7,00 | 353,52 | 2.474,64 | |
| 61 | μ μ μ μ μ Led 35 W | \8974.1.3. 2 | 59 | .207 | μ. | 26,00 | 129,12 | 3.357,12 | |
| 62 | Led μ μ μ 9 W, μ μ IP65 | \8982.6.1 .1 | 60 | .208 | μ. | 3,00 | 126,27 | 378,81 | |
| 63 | Led μ μ μ 17 W, μ μ IP65 | \8982.6.2 .1 | 60 | .209 | μ. | 13,00 | 289,47 | 3.763,11 | |
| 64 | μ μ μ μ Led μ 3,5 W/230 V, | \8982.4.1.1 | 59 | .210 | μ. | 18,00 | 45,41 | 817,38 | |
| 65 | μ μ μ μ (,) μ | \8982.6.2 .1 | 59 | .211 | μ. | 5,00 | 54,87 | 274,35 | |
| | | | | | | | μ | 70.024,82 | 548.797,06 |

| A/A | [1] | [2] | [3] | [4] | [5] | [6] | [7] | μ [8] | () | |
|-------------------|--------------------------------|---------------------|--------------|------|------|-----|--------|------------------|-------------------|-------------------|
| | | | | | | | | | [9] | [10] |
| | | | | | | | | 70.024,82 | 548.797,06 | |
| 66 | WC, μ () μ μ μ μ μ 18 W | μ P40, μ | \8971.1.1 | 59 | .212 | μ. | 10,00 | 46,79 | 467,90 | |
| 67 | μ | | 8665.3 | 6401 | .253 | kg | 120,00 | 5,00 | 600,00 | |
| : 4.4.1. | | | | | | | | 71.092,72 | 71.092,72 | |
| 4.4.2. - | | | | | | | | | | |
| 1 | Faraday, | | \60.20.40.21 | 105 | .214 | μ. | 1,00 | 4.400,00 | 4.400,00 | |
| 2 | μ | | \9342. | 5 | .215 | μ. | 1,00 | 3.450,00 | 3.450,00 | |
| 3 | μ | | \8838.2.1 | 5 | .216 | μ. | 12,00 | 53,80 | 645,60 | |
| 4 | μ 100 (10/350μs) | | \8919. 2 | 55 | .217 | μ. | 1,00 | 118,34 | 118,34 | |
| 5 | μ μ Up 2.5kV | 1+ 2, | \8919. 3 | 55 | .218 | μ. | 1,00 | 197,86 | 197,86 | |
| 6 | μ 17 mm 250μm, μ 1,50 m | μ μ | \9342. 1 | 45 | .219 | μ. | 4,00 | 43,36 | 173,44 | |
| 7 | μ μ μ μ 1 1/4 ins | | 8036.4 | 5 | .275 | m | 20,00 | 25,04 | 500,80 | |
| 8 | | | \60.10.85.01 | 2548 | .221 | μ. | 4,00 | 50,00 | 200,00 | |
| 9 | | μμ μ 124, 125 | \ 49. | 6752 | .222 | kg | 70,00 | 2,90 | 203,00 | |
| 10 | A μ μ mov (μ 1+ 2) | | \9290.3.16 | 49 | .223 | μ. | 3,00 | 146,40 | 439,20 | |
| 11 | A μ μ GDT () 1 | | \9290.3.17 | 49 | .224 | μ. | 1,00 | 198,40 | 198,40 | |
| 12 | μ - | | \9290.3.18 | 49 | .225 | μ. | 1,00 | 163,60 | 163,60 | |
| : 4.4.2. - | | | | | | | | 10.690,24 | 10.690,24 | |
| | | | | | | | | | | |
| | | | | | | | | μ | | 630.580,02 |

| A/A | | | | | M | | μ () | () | |
|-----------------|--------------------------------------|--------------|-----|------|-----|--------|----------|-----------------|-------------------|
| | | | | | | | | | |
| [1] | [2] | [3] | [4] | [5] | [6] | [7] | [8] | [9] | [10] |
| | | | | | | | μ | | 630.580,02 |
| 4.4.3. | | | | | | | | | |
| 1 | μ μ 20 | \8993.1. 1 | 61 | .226 | μ. | 1,00 | 165,00 | 165,00 | |
| 2 | μ μ (Rack 19") 9U | \8772.13 | 48 | .227 | μ. | 1,00 | 520,00 | 520,00 | |
| 3 | 3/20 μ μ | \8993.32 | 61 | .228 | μ. | 1,00 | 830,00 | 830,00 | |
| 4 | Patch Panel UTP/16-pos, cat5 | \8773.16 | 48 | .229 | μ. | 1,00 | 137,00 | 137,00 | |
| 5 | Patch Cords UTP Cat.6, μ 0,50-2,00 m | \8994.4 | 61 | .230 | μ. | 30,00 | 3,63 | 108,90 | |
| 6 | μ (switch) 16 | \8994.1 | 61 | .231 | μ. | 1,00 | 107,02 | 107,02 | |
| 7 | 100x60 mm μ , | .8741.2.1 | 49 | .232 | | 45,00 | 16,67 | 750,15 | |
| 8 | UTP cat.6 μ 4x2x0,51 mm. | \48.4. 1 | 48 | .233 | m | 485,00 | 3,23 | 1.566,55 | |
| 9 | UTP cat.6 μ 25x2x0,51 mm. | \48.4. 2 | 48 | .234 | m | 25,00 | 4,56 | 114,00 | |
| 10 | μ RJ-45, UTP/Cat6 | \9500.2 | 49 | .235 | μ. | 10,00 | 16,95 | 169,50 | |
| 11 | | \8993.1 | 44 | .236 | | 10,00 | 66,83 | 668,30 | |
| 12 | .V. μ U F | \9730.1 | 61 | .237 | μ. | 1,00 | 150,00 | 150,00 | |
| 13 | .x μ μ , .V. μ μ | \9730.4 | 42 | .238 | μ. | 1,00 | 75,00 | 75,00 | |
| 14 | μ μ 75 , - | \8796.1.2 | 48 | .239 | m | 75,00 | 6,10 | 457,50 | |
| 15 | μ TV, (2) | \9730.4.6 | 49 | .240 | μ. | 4,00 | 31,78 | 127,12 | |
| 16 | μ TV, (4) | \9730.4.8 | 49 | .241 | μ. | 2,00 | 39,61 | 79,22 | |
| 17 | μ , x μ | \9730.6. 1 | 49 | .242 | μ. | 5,00 | 25,81 | 129,05 | |
| 18 | μ μ , | \8742.1 | 52 | .243 | μ. | 2,00 | 585,00 | 1.170,00 | |
| 19 | | \8207.8 | 17 | .244 | μ. | 2,00 | 87,16 | 174,32 | |
| 20 | μ , 80x80x45 mm | .8375.1.2 | 41 | .245 | | 10,00 | 6,61 | 66,10 | |
| 21 | μ μ , μ μ (.μ. . .) | \60.20.75.02 | 14 | .246 | | 2,00 | 127,95 | 255,90 | |
| : 4.4.3. | | | | | | | | 7.820,63 | 7.820,63 |
| : 4.4. | | | | | | | | | 89.603,59 |
| 4.5. | | | | | | | | | |
| 1 | μ μ , 32x32x22 cm, | \8066.1.3. 1 | 10 | .247 | μ. | 1,00 | 193,69 | 193,69 | |
| | | | | | | | μ | 193,69 | 638.400,65 |

| A/A | | | | | M | | μ | () | |
|-----|---------------------------------------|--------------|-------|------|-----|-------|-----------|-----------|------------|
| [1] | [2] | [3] | [4] | [5] | [6] | [7] | [8] | [9] | [10] |
| | | | | | | | μ | 193,69 | 638.400,65 |
| 2 | μ | 6065 | 6065 | .248 | m3 | 3,00 | 4,81 | 14,43 | |
| 3 | μμ μ μ | 6069 | 6069 | .249 | m3 | 1,00 | 35,61 | 35,61 | |
| 4 | μ , μ μ 0,50 m2 | \2267 | 2267 | .250 | μ. | 2,00 | 60,00 | 120,00 | |
| 5 | μ , μ μ 0,05 m2 | \22.30.01 | 2261A | .251 | | 22,00 | 5,60 | 123,20 | |
| 6 | μ | 79.09 | 7912 | .252 | m2 | 4,00 | 6,00 | 24,00 | |
| 7 | μ | 8665.3 | 6401 | .253 | kg | 35,00 | 5,00 | 175,00 | |
| 8 | μ μ μ μ 4" x 2 1/2" x 2 1/2" | \8206.20.1 | 11 | .254 | μ. | 1,00 | 329,12 | 329,12 | |
| 9 | () μ μ μ 4 ins | \8125.1.9 | 11 | .255 | | 1,00 | 158,55 | 158,55 | |
| 10 | μ μ , 6 μ | \8072.11.1 | 1 | .256 | μ. | 1,00 | 297,73 | 297,73 | |
| 11 | μ 2" , | \8103.5 | 12 | .257 | μ. | 2,00 | 166,64 | 333,28 | |
| 12 | () μ μ μ 3 ins , | \8206.40.33 | 84 | .258 | μ. | 1,00 | 368,45 | 368,45 | |
| 13 | () μ μ μ 4 ins , | \8206.40.44 | 84 | .259 | μ. | 2,00 | 424,44 | 848,88 | |
| 14 | (strainer), μ μ μ. 16 atm μ 80 100 mm | \9177.3.1 | 84 | .260 | μ. | 3,00 | 93,88 | 281,64 | |
| 15 | μ μ x 70 m3/h μ μ 40 m μ μ 12845, | 8220.3.14. 2 | 22 | .261 | μ. | 1,00 | 24.750,00 | 24.750,00 | |
| 16 | μ μ 100 mm μ. | \8609.2.9 | 12 | .262 | μ. | 1,00 | 419,57 | 419,57 | |
| 17 | μ μ 150/159mm, | \8603.4.20 | 41 | .263 | μ. | 1,00 | 127,43 | 127,43 | |
| | | | | | | | μ | 28.600,58 | 638.400,65 |

| A/A | | | | M | | μ | () | | |
|-----|---|------------|-----|------|-----|--------|--------|------------------|-------------------|
| | | | | | | | | | |
| [1] | [2] | [3] | [4] | [5] | [6] | [7] | [8] | [9] | [10] |
| | | | | | | | μ | 28.600,58 | 638.400,65 |
| 18 | μ μ μ 6 ins | \8602.7.1 | 6 | .264 | μ. | 5,00 | 44,51 | 222,55 | |
| 19 | mm μ 63 | 05.13 | 31 | .265 | | 5,00 | 10,00 | 50,00 | |
| 20 | μ μ μ 3/8 ins 5 atm | 8606.1.2 | 11 | .266 | | 3,00 | 35,44 | 106,32 | |
| 21 | μ μ (Flow Switch) μ μ DN 100 mm (4 ins) | \8208.14.7 | 11 | .267 | μ. | 1,00 | 273,55 | 273,55 | |
| 22 | μ μ μ 100 mm μ. | \8610.2.10 | 12 | .268 | μ. | 1,00 | 128,60 | 128,60 | |
| 23 | μ μ μ 100 mm μ. | 8610.1.10. | 12 | .269 | μ. | 2,00 | 204,58 | 409,16 | |
| 24 | ins μ. μ 1 | 8637.3 | 12 | .270 | | 1,00 | 173,58 | 173,58 | |
| 25 | 1/4 ins μ. μ 1 | 8637.4 | 12 | .271 | | 2,00 | 232,15 | 464,30 | |
| 26 | μ μ μ 1/2 ins | 8036.1 | 5 | .272 | m | 1,00 | 14,59 | 14,59 | |
| 27 | μ μ μ 3/4 ins | 8036.2 | 5 | .273 | m | 1,00 | 17,52 | 17,52 | |
| 28 | μ μ μ 1 ins | 8036.3 | 5 | .274 | m | 265,00 | 21,26 | 5.633,90 | |
| 29 | μ μ μ 1 1/4 ins | 8036.4 | 5 | .275 | m | 50,00 | 25,04 | 1.252,00 | |
| 30 | μ μ μ 1 1/2 ins | 8036.5 | 5 | .276 | m | 10,00 | 28,44 | 284,40 | |
| 31 | μ μ μ 2 ins | 8036.6 | 5 | .277 | m | 1,00 | 33,58 | 33,58 | |
| 32 | μ μ μ 2 1/2 ins | 8036.7 | 5 | .278 | m | 1,00 | 40,90 | 40,90 | |
| 33 | μ μ μ 3 ins | 8036.8 | 5 | .279 | m | 1,00 | 55,27 | 55,27 | |
| 34 | μ μ μ 4 ins | 8036.9 | 5 | .280 | m | 22,00 | 73,88 | 1.625,36 | |
| 35 | μ μ , μ μ 3 in | 04.15.7 | 12 | .281 | | 2,00 | 14,50 | 29,00 | |
| | | | | | | | μ | 39.415,16 | 638.400,65 |

| A/A | [2] | [3] | [4] | [5] | M | [7] | μ () | () | |
|-----|--|------------|-----|------|-----|-------|-----------|------------------|-------------------|
| | | | | | | | | [9] | [10] |
| [1] | [2] | [3] | [4] | [5] | [6] | [7] | [8] | [9] | [10] |
| | | | | | | | μ | 54.855,08 | 638.400,65 |
| 58 | μ , μ | \8840.4.1 | 52 | .304 | μ. | 8,00 | 90,23 | 721,84 | |
| 59 | (remote/ LED), μ μ | \8924.1 | 52 | .305 | μ. | 28,00 | 40,65 | 1.138,20 | |
| 60 | μ Cd min μ , μ μ Ni- 90 | \8972.5.1 | 59 | .306 | μ. | 6,00 | 120,00 | 720,00 | |
| 61 | μ , μ μ LED | \8972.5.1 | 59 | .307 | μ. | 33,00 | 68,00 | 2.244,00 | |
| 62 | μ μ μ (aerosol) " " , " | \8205.3. 1 | 17 | .308 | | 1,00 | 5.096,84 | 5.096,84 | |
| 63 | μ μ μ μ μ μ μ (aerosol) " " , | \8205.5 | 19 | .309 | μ. | 2,00 | 860,00 | 1.720,00 | |
| 64 | 6 kg , μ | 8201.1.2 | 19 | .310 | | 5,00 | 37,79 | 188,95 | |
| 65 | μ μ 12 Kgr, -183 -C 43 | \8201.1.3 | 19 | .311 | μ. | 1,00 | 86,98 | 86,98 | |
| 66 | 5 kg , , μ | \8202.2. | 19 | .312 | μ. | 6,00 | 69,69 | 418,14 | |
| 67 | μμ μ μ μ , μ μ μ μ μ | \8699.11.1 | 8 | .318 | μ. | 12,00 | 25,77 | 309,24 | |
| | : 4.5. | | | | | | | 67.499,27 | 67.499,27 |
| | 4.6. | | | | | | | | |
| 1 | μ μ μ μ μ 825 Kg (11 μ), 3 | \9051.41.1 | 63 | .314 | μ. | 1,00 | 45.350,00 | 45.350,00 | |
| 2 | μ (dumpwaiter) μ μ MRL, 100 Kg, 3 | \9051.41.2 | 63 | .315 | μ. | 1,00 | 9.350,00 | 9.350,00 | |
| 3 | μμ μ μ μ , μ μ μ μ μ | \8699.11.1 | 8 | .318 | μ. | 2,00 | 25,77 | 51,54 | |
| | : 4.6. | | | | | | | 54.751,54 | 54.751,54 |
| | | | | | | | | | |
| | | | | | | | μ | | 760.651,46 |

| A/A | | | | | M | | μ | () | | |
|-----|--|------------|--------------------------------------|------|-----|--------|-----------|------------------|-------------------|--|
| [1] | [2] | [3] | [4] | [5] | [6] | [7] | [8] | [9] | [10] | |
| | | | | | | | μ | | 760.651,46 | |
| | 4.7. | | | | | | | | | |
| 1 | μ μ , metering | \9240.7. 2 | 30% 51 30% 52 20% 56 20% 47 | .317 | | 1,00 | 45.400,00 | 45.400,00 | | |
| 2 | μ μ μ μ μ μ | \8699.11.1 | 8 | .318 | μ. | 1,00 | 25,77 | 25,77 | | |
| | : 4.7. | | | | | | | 45.425,77 | 45.425,77 | |
| | : 4. : / () | | | | | | | | 427.384,15 | |
| | 5. : - | | | | | | | | | |
| 1 | 12,5 mm | 78.05.10 | 7809 | .1 | m2 | 50,00 | 16,80 | 840,00 | | |
| 2 | μ , μ 15 20 mm, 600x600 mm 625x625 mm | 78.30.01 | 7809 | .2 | m2 | 120,00 | 25,90 | 3.108,00 | | |
| 3 | μ | \73.16 | 7316 | .3 | m2 | 17,00 | 19,00 | 323,00 | | |
| 4 | μ μ μ | \48.50 | 4622.1 | .4 | m2 | 6,50 | 50,00 | 325,00 | | |
| 5 | μ μ μ μ μ μ μ μ 3 cm, 6 10 μ | 74.30.06 | 7452 | .5 | m2 | 120,00 | 99,00 | 11.880,00 | | |
| 6 | μ μ () μ μ , 2 cm | 75.11.01 | 7511 | .6 | | 60,00 | 9,50 | 570,00 | | |
| 7 | μ μ | 74.23 | 7416 | .7 | m2 | 90,00 | 5,60 | 504,00 | | |
| 8 | () μ μ , cm. 2 | 74.90.02 | 7492 | .8 | | 10,00 | 12,40 | 124,00 | | |
| 9 | 2,00 m μ μ μ μ 3 / 2 cm (/ μ) | 75.41.01 | 7541 | .9 | | 260,00 | 39,00 | 10.140,00 | | |
| 10 | μ μ μ | \74.22 | 7422 | .10 | | 130,00 | 5,00 | 650,00 | | |
| 11 | μ μ μ μ μ μ μ 2 cm | 75.58.01 | 7558 | .11 | | 200,00 | 16,80 | 3.360,00 | | |
| 12 | (μ) μ μ μ μ μ 2 cm , μ 11 - 30 cm | 75.01.01 | 7501 | .12 | m2 | 9,00 | 78,50 | 706,50 | | |
| 13 | μ GROUP 5 | \73.33.03 | 7331 | .13 | m2 | 600,00 | 38,00 | 22.800,00 | | |
| 14 | () | \73.35 | 7326.1 | .14 | | 490,00 | 4,00 | 1.960,00 | | |
| 15 | μ μ μ μ cm , 2 | 75.31.01 | 7531 | .15 | m2 | 13,00 | 78,50 | 1.020,50 | | |
| 16 | μ μ μ μ | 74.22 | 7422 | .16 | | 460,00 | 2,80 | 1.288,00 | | |
| | | | | | | | μ | 59.599,00 | 806.077,23 | |

| A/A | | | | | M | | μ | () | |
|-----|---------------------------|-----------|--------|-----|-----|----------|--------|------------------|-------------------|
| [1] | [2] | [3] | [4] | [5] | [6] | [7] | [8] | [9] | [10] |
| | | | | | | | μ | 59.599,00 | 806.077,23 |
| 17 | μ 8 cm | 73.92 | 7373.1 | .17 | m2 | 155,00 | 28,00 | 4.340,00 | |
| 18 | μ GROUP 4, 40x40 cm | 73.33.03 | 7331 | .18 | m2 | 300,00 | 36,00 | 10.800,00 | |
| 19 | μ GROUP 1, 30x30 cm | 73.34.02 | 7326.1 | .19 | m2 | 170,00 | 36,00 | 6.120,00 | |
| 20 | () μ | 73.35 | 7326.1 | .20 | | 160,00 | 4,50 | 720,00 | |
| 21 | μ μ | \79.81.01 | 7744 | .21 | m2 | 180,00 | 15,00 | 2.700,00 | |
| 22 | μ μ μ 2,5 cm | \73.36.02 | 7336 | .22 | m2 | 255,00 | 13,80 | 3.519,00 | |
| 23 | μ μ μ μ μ μ μ μ | 72.18 | 7211 | .23 | m2 | 430,00 | 24,50 | 10.535,00 | |
| | : 5. : | - | | | | | | 98.333,00 | 98.333,00 |
| | 6. : | & | | | | | | | |
| 1 | >160 mm | 61.06 | 6104 | .1 | kg | 700,00 | 2,80 | 1.960,00 | |
| 2 | μ , μ , μ 90 min | 62.60.03 | 6236 | .2 | m2 | 17,00 | 335,00 | 5.695,00 | |
| 3 | μ , μ , μ 90 min | 62.61.03 | 6236 | .3 | m2 | 10,00 | 390,00 | 3.900,00 | |
| 4 | μ | 62.30 | 6230 | .4 | kg | 60,00 | 11,20 | 672,00 | |
| 5 | μ μ , μμ | 64.01.01 | 6401 | .5 | kg | 3.700,00 | 4,50 | 16.650,00 | |
| 6 | μμ | 62.21 | 6221 | .6 | kg | 405,00 | 5,00 | 2.025,00 | |
| 7 | | 61.30 | 6118 | .7 | kg | 470,00 | 3,10 | 1.457,00 | |
| 8 | μ | 61.31 | 6118 | .8 | kg | 200,00 | 2,80 | 560,00 | |
| 9 | (cour anglaises) | 61.23 | 6123 | .9 | kg | 120,00 | 3,40 | 408,00 | |
| 10 | μ μ | 56.23 | 5613.1 | .10 | m2 | 7,00 | 225,00 | 1.575,00 | |
| 11 | μ , μ μ | 56.24 | 5613.1 | .11 | m2 | 7,00 | 180,00 | 1.260,00 | |
| 12 | μ μ μ , μ | 56.25 | 5613.1 | .12 | m2 | 20,00 | 155,00 | 3.100,00 | |
| 13 | μ DUROPAL | 56.21 | 5617 | .13 | m2 | 7,00 | 28,00 | 196,00 | |
| 14 | | \56.10 | 5613.1 | .14 | | 75,00 | 40,00 | 3.000,00 | |
| 15 | μ (port-manteau) | 56.16 | 5616 | .15 | | 29,00 | 28,00 | 812,00 | |
| | | | | | | | | | |
| | | | | | | | μ | 43.270,00 | 904.410,23 |

| A/A | | | | | M | | μ | () | |
|-----|---|----------|--------|-----|-----|----------|-----------|-------------------|---------------------|
| [1] | [2] | [3] | [4] | [5] | [6] | [7] | [8] | [9] | [10] |
| | | | | | | | μ | 43.270,00 | 904.410,23 |
| 16 | μ | \72.70 | 7231 | .16 | m2 | 25,00 | 92,70 | 2.317,50 | |
| 17 | μ | 64.17 | 6418 | .17 | kg | 1.860,00 | 9,00 | 16.740,00 | |
| 18 | 50/2 mm | 64.29 | 6428 | .18 | m | 30,00 | 20,00 | 600,00 | |
| 19 | μ μ μ 6,01 12,00 m μ | 52.66.02 | 5267 | .19 | m2 | 330,00 | 61,00 | 20.130,00 | |
| 20 | μ μ μ μ μ | 54.50 | 5446.1 | .20 | m2 | 61,00 | 129,00 | 7.869,00 | |
| 21 | μ μ μ μ μ μ μ μ 90 min | 62.61.06 | 6236 | .21 | m2 | 16,00 | 500,00 | 8.000,00 | |
| 22 | μ μ μ μ μ μ μ μ μ μ 90 min | 62.60.06 | 6236 | .22 | m2 | 2,80 | 390,00 | 1.092,00 | |
| 23 | μ μ 2,5 cm μ | 52.80.03 | 5283 | .23 | m2 | 330,00 | 22,50 | 7.425,00 | |
| | : 6. : | & | | | | | | 107.443,50 | 107.443,50 |
| | 7. : | - | | | | | | | |
| 1 | | \55.33 | 5533 | .1 | | 1,00 | 700,00 | 700,00 | |
| 2 | | \ 05 | 1620 | .2 | | 1,00 | 15.000,00 | 15.000,00 | |
| 3 | μ μ μ μ μ μ μ μ μ μ μ μ | 77.84.02 | 7786.1 | .3 | m2 | 50,00 | 12,40 | 620,00 | |
| 4 | μ | 77.81.01 | 7786.1 | .4 | m2 | 2.300,00 | 13,50 | 31.050,00 | |
| 5 | μ | 77.80.01 | 7785.1 | .5 | m2 | 780,00 | 9,00 | 7.020,00 | |
| 6 | μ μ μ μ μ μ μ μ μ μ μ μ μ μ μ | 77.10 | 7725 | .6 | m2 | 370,00 | 3,90 | 1.443,00 | |
| | | | | | | | μ | 55.833,00 | 1.011.853,73 |

| A/A | | | | | M | | μ | () | |
|-----|-----------------------------|-------------|------|-----|-----|--------|--------|------------------|---------------------|
| [1] | [2] | [3] | [4] | [5] | [6] | [7] | [8] | [9] | [10] |
| | | | | | | | μ | 55.833,00 | 1.011.853,73 |
| 7 | μ μ μ | 77.55 | 7755 | .7 | m2 | 155,00 | 6,70 | 1.038,50 | |
| 8 | μ μ μ | 77.20.01 | 7744 | .8 | m2 | 155,00 | 2,20 | 341,00 | |
| 9 | | 62.50 | 6236 | .9 | | 4,00 | 95,00 | 380,00 | |
| 10 | | 77.96 | 7744 | .10 | m2 | | 2,80 | | |
| 11 | μ uPVC | 73.79 | 7396 | .11 | | 55,00 | 28,00 | 1.540,00 | |
| 12 | μ μ μ μ μ μ | 65.20.03 | 6501 | .12 | m2 | 15,50 | 135,00 | 2.092,50 | |
| 13 | μ HDPE μ () | 79.18 | 7912 | .13 | m2 | 255,00 | 10,10 | 2.575,50 | |
| 14 | μ μ μ μ | 77.54 | 7754 | .14 | m2 | 122,00 | 6,70 | 817,40 | |
| 15 | μ μ μ | 77.16 | 7736 | .15 | m2 | 122,00 | 2,20 | 268,40 | |
| 16 | μ μ μ μ | 77.17.02 | 7738 | .16 | m2 | 122,00 | 2,80 | 341,60 | |
| 17 | μ μ μ μ 80 mm | 79.45 | 7934 | .17 | m2 | 14,00 | 20,00 | 280,00 | |
| 18 | μ μ μ μ mm 0,40 | 79.16.01 | 7914 | .18 | m2 | 320,00 | 0,55 | 176,00 | |
| 19 | μ μ μ μ μ μ (APP), μ μ μ | 79.11.02 | 7912 | .19 | m2 | 320,00 | 13,50 | 4.320,00 | |
| 20 | μ μ μ μ μ μ μ μ | 79.11.01 | 7912 | .20 | m2 | 430,00 | 14,60 | 6.278,00 | |
| 21 | μ μ μ μ μ μ | 65.02.01.01 | 6502 | .21 | m2 | 2,00 | 165,00 | 330,00 | |
| 22 | μ μ μ μ μ μ | 65.02.01.02 | 6503 | .22 | m2 | 3,50 | 155,00 | 542,50 | |
| | | | | | | | μ | 77.154,40 | 1.011.853,73 |

| A/A | | | | M | | μ | () | | |
|-----|--|-------------|--------|-----|-----|--------|--------|-------------------|---------------------|
| | | | | | | | | | |
| [1] | [2] | [3] | [4] | [5] | [6] | [7] | [8] | [9] | [10] |
| | | | | | | | μ | 77.154,40 | 1.011.853,73 |
| 23 | μ , μ μ , μμ , μ , | 65.02.01.06 | 6505 | .23 | m2 | 10,00 | 140,00 | 1.400,00 | |
| 24 | μ , μ μ , μμ , μ , | 65.02.01.07 | 6506 | .24 | m2 | 10,50 | 145,00 | 1.522,50 | |
| 25 | μ , μ μ , μμ , μ μ | 65.02.01.05 | 6506 | .25 | m2 | 6,00 | 135,00 | 810,00 | |
| 26 | μ , μ μ , μμ , μ | 65.02.01.03 | 6504 | .26 | m2 | 5,00 | 145,00 | 725,00 | |
| 27 | μ μ μ , μ μ | 65.17.01 | 6519 | .27 | m2 | 8,50 | 200,00 | 1.700,00 | |
| 28 | (LAMINATED), 18 mm (6 mm + μ μ + 6 mm + μ μ + 6 mm) | 76.22.04 | 7609.2 | .28 | m2 | 80,00 | 73,00 | 5.840,00 | |
| 29 | μ μ μ μ μ | \ 79.46 | 7934 | .29 | m2 | 420,00 | 23,50 | 9.870,00 | |
| 30 | μ μ μ μ μ μ 50 mm | 79.45 | 7934 | .30 | m2 | 630,00 | 14,00 | 8.820,00 | |
| 31 | μ μ , μ μ | \65.19 | 6530 | .31 | m2 | 28,00 | 130,00 | 3.640,00 | |
| 32 | μ . | \65.05 | 6502 | .32 | m2 | 9,00 | 175,00 | 1.575,00 | |
| 33 | μ " , μ μ , μ | \65.15 | 6515 | .33 | m2 | 47,00 | 175,00 | 8.225,00 | |
| 34 | μ | 65.25 | 6530 | .34 | m2 | 3,50 | 45,00 | 157,50 | |
| 35 | μ μ 3 4" μ | 77.67.04 | 7767.8 | .35 | | 60,00 | 4,50 | 270,00 | |
| | :7. : | - | | | | | | 121.709,40 | 121.709,40 |
| | | | | | | | | | |
| | | | | | | μ | | | 1.133.563,13 |

